

## SUPPLEMENT TO

The Gazette



of India

No. 24]

NEW DELHI, SATURDAY, JUNE 30, 1956

## OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd June, 1956

CHOLERA								SMALLPOX								PLAGUE								CHOLERA								SMALLPOX								PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.									
STATES PART(A) AND PART(C)																Assam—contd.																															
Aimer																(Estd. mid-year pop. 9,817 thousands.)																															
TOTAL		..		..		1		1		..		..		..		Total for w/c 26-5-56		..		..		10		9		..		..		..		..		..		..											
(Estd. mid-year pop. 752 thousands.)																Total for w/c 19-5-56 .. .. 4 1 .. ..																															
Total for w/c 26-5-56		..		..		..		..		..		..		..		7-yearly mean for the week		21		15		1		..		..		..		..		..		..		..											
Total for w/c 19-5-56		..		..		1		1		..		..		..		Bhopal																															
7-yearly mean for the week		..		..		4		3		..		..		..		Total		..		..		49		4		..		..		..		..		..		..											
Andhra																(Estd. mid year pop. 867 thousands.)																															
Visakhapatnam		..		..		26		8		..		..		..		Total for w/c 26-5-56		..		..		11		3		..		..		..		..		..		..											
Godavari East.		..		..		20		4		..		..		..		Total for w/c 19-5-56		..		..		30		4		..		..		..		..		..		..											
Godavari West		..		..		8		2		..		..		..		7-yearly mean for the week		..		..		2		1		..		..		..		..		..		..											
Krishna		..		..		13		3		..		..		..		Bihar																															
Guntur		..		..		12		4		..		..		..		Patna		..		..		3		1		2		1		..		..		..		..											
Nellore		..		..		16		4		..		..		..		Gaya		..		..		36		10		3		1		..		..		..		..											
Kurnool		..		..		19		11		..		..		..		Shahabad		..		..		2		1		3		1		..		..		..		..											
Cuddapah		..		..		2		..		..		..		..		Muzaffarpur		..		..		2		1		..		..		..		..		..		..											
Anantapur		..		..		10		1		..		..		..		Darbhanga		..		..		..		..		12		7		..		..		..		..											
Chittoor		..		..		8		2		..		..		..		Bhagalpur		..		..		7		3		10		3		..		..		..		..											
TOTAL		..		..		134		39		..		..		..		Purnea		..		..		..		..		41		24		..		..		..		..											
(Estd. mid-year pop. 21,238 thousands.)																Santal Parganas .. 5 4 7 3 .. ..																															
Total for w/c 26-5-56		11		6		133		28		..		..		..		Manbhum		..		..		2		2		5		1		..		..		..		..											
Total for w/c 19-5-56		37		13		94		28		..		..		..		TOTAL		..		57		22		83		41		..		..		..		..		..											
7-yearly mean for the week		48		27		169		34		..		..		..		Estd. mid-year pop. 12,198 thousands.)		Total for w/c 26-5-56 .. 65 31 93 24 .. ..																													
Assam																Total for w/c 19-5-56 .. 16 6 184 74 .. ..																															
Sibsagar		..		..		..		1		..		..		..		7-yearly mean for the week		100		45		108		47		..		..		..		..		..		..											
TOTAL		..		..		..		1		..		..		..		..																															
Explanation of symbols used: C.=Cases; D.=Deaths; ..=Nil.																																															

Explanation of symbols used: C.=Cases; D.=Deaths; ..=Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd June, 1956—*contd.*

	CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
<b>Bombay</b>							<b>Himachal Pradesh</b>						
Greater Bombay	..	..	13	2	..	..	"N.R."						
Ahmedabad	..	..	7	6	..	..	<b>Madhya Pradesh</b>						
Panch Mahals	..	..	1	..	..	..	Nagpur	..	..	1	..	..	..
Surat	..	..	3	3	..	..	Chanda	..	..	35	..	..	..
Thana	..	..	4	1	..	..	Chhindwara	..	..	1	..	..	..
Ahmednagar	..	..	4	..	..	..	Betul	..	..	17	8	..	..
East Khandesh	..	..	3	2	..	..	Bhandara	..	..	9	1	..	..
West Khandesh	..	..	2	..	..	..	Sagar	..	..	9	3	..	..
Satara North	..	..	1	..	..	..	Mandala	..	..	1	1	..	..
Bijapur	..	..	1	..	..	..	Hoshangabad	..	8	2	3	..	..
Mehsana	..	..	..	7	..	..	Balaghat	..	..	87	9	..	..
Banaskantha	..	..	17	1	..	..	Raipur	..	..	2	..	..	..
TOTAL	..	..	56	22	..	..	Bilaspur	..	198	118	..	..	..
(Estd. mid-year pop. 99,569 thousands)							Durg	..	6	1	10	..	..
Total for w/c 26-5-56	3	1	106	16	..	..	Surguja	..	..	16	3	..	..
Total for w/c 19-5-56	8	4	89	23	..	..	Raigarh	..	3	1	3	3	..
7 yearly mean for the week	51	18	181	33	..	..	Yeornal	..	..	11	3	..	..
<b>Coorg</b>							Akola	..	..	33	4	..	..
TOTAL	..	..	..	..	..	..	Buldana	..	..	1	1	..	..
Estd. mid-year pop. 262 thousands.)							TOTAL	215	122	239	36	..	..
Total for w/c 26-5-56	..	..	..	..	..	..	(Estd. mid-year pop. 22,109 thousands.)						
Total for w/c 19-5-56	..	..	..	..	..	..	Total for w/c 26-5-56	217	139	163	23	..	..
7-yearly mean for the week	..	..	2	..	..	..	Total for w/c 19-5-56	17	13	426	59	..	..
<b>Delhi</b>							7-yearly mean for the week	70	35	196	22	..	..
Delhi City	..	..	5	..	..	..	<b>Madras</b>						
Delhi Notified Area	..	..	1	..	..	..	Madras City	..	..	1	..	..	..
New Delhi Cantt.	..	..	1	..	..	..	North Arcot	..	..	8	2	..	..
TOTAL	..	..	6	1	..	..	Salem	..	..	2	..	..	..
Census pop. 1,744 thousands.)							South Arcot	..	..	3	2	..	..
Total for w/c 26-5-56	..	..	13	3	..	..	Mathural	..	..	1	..	..	..
Total for w/c 19-5-56	..	..	18	2	..	..	Tirunelveli	..	..	3	..	..	..
7 yearly mean for the week	..	..	5	1	..	..	Malabar	..	..	12	1	..	..
							TOTAL	..	..	30	5	..	..

Explanation of symbols used: C,=Cases; D,=Deaths; ..=Nil; "N.R."=Information not received.



Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd June, 1956—*contd.*

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
West Bengal—contd.						Rajasthan					
						"N.R."					
Hooghly	20	5	5	1	..	Saurashtra					
Howrah	62	21	3	2	..	Sorath					
24-Parganas	62	32	..	..	..	TOTAL					
Calcutta	179	55	5	5	..	Travancore-Cochin					
Nadia	..	..	..	1	..	TOTAL					
Murshidabad	12	4	..	5	..	Grand Total for States					
Malda	..	..	3	1	..	Part (B)					
West Dinajpur	..	..	2	1	..	Grand Total for States					
TOTAL	361	129	33	17	..	Parts (A), (B) and (C)					
(Estd. mid-year pop. 26,396 thousands.)						ARREAR INFORMATION					
Total for w/e 26-5-56	522	245	27	14	..	Rajasthan					
Total for w/e 19-5-56	586	214	40	22	..	w/e 19-5-56					
7-yearly mean for the week	345	139	86	37	..	TOTAL					
Grand Total for States Parts (A) & (C) (excluding Himachal Pradesh)						Vindhya Pradesh					
826	363	774	240	..	..	w/e 19-5-56					
Corresponding (Estd. mid-year pop. 2,72,765 thousands).						TOTAL					
Corresponding Total for 976 w/e 26-5-56.	515	751	231	..	..	w/e 26-5-56					
Corresponding Total for 786 w/e 19-5-56.	430	1,089	303	..	..	TOTAL					
Corresponding 7-yearly mean for the week						Madhya Bharat					
908	407	990	260	2	1	w/e 12-5-56					
STATES PART (B)						TOTAL					
Hyderabad						w/e 19-5-56					
Raichur	32	13	..	..	..	TOTAL					
Warrangal	..	..	1	..	..	Bihar					
Hyderabad	..	..	9	..	..	w/e 19-5-56					
Khammam	..	..	4	..	..	Santal Parganas					
TOTAL	32	13	14	..	..	Patna					
Jammu and Kashmir						Darbhanga					
"N.R."						Monghyr					
Madhya Bharat						Bhagalpur					
"N.R."						Purnea					
Mysore						Hazaribagh					
Tumkur	..	..	4	1	..	Manbhum					
TOTAL	..	..	4	1	..	Gaya					
Patiala and East Punjab States Union						TOTAL					
TOTAL	..	..	1	..	..	TOTAL					

Explanation of symbols used : C. = Cases; D. = Deaths; .. = Nil; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd June, 1956—*concl'd.*

CHOLERA								CHOLERA									
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE					
C.		D.		C.		D.		C.		D.		C.		D.			
Bihar								Himachal Pradesh									
w/e 26-5-56								w/e 19-5-56									
Shahbad	.	.	5	3	..	..	..	..	TOTAL	.	.	..	..	..	..		
Patna	.	.	43	19	9	3	..	..	Jammu and Kashmir								
Gaya	.	.	2	2	2	..	..	..	w/e 5-5-56								
Monghyr	.	.	..	..	10	1	..	..	TOTAL	.	..	..	..	..	..		
Bhagalpur	.	.	..	..	13	3	..	..	w/e 19-5-56								
Purnea	.	.	..	..	36	11	..	..	TOTAL	.	..	26	10	..	..		
Singhbhum	.	.	..	..	2	..	..	..	w/e 26-5-56								
Manbhum	.	.	7	3	21	6	..	..	TOTAL	.	..	..	11	3	..		
Muzaffarpur	.	.	8	4	..	..	..	..	POLIOMYELITIS								
TOTAL	.	.	65	31	93	24	..	..	(Information based on patients treated in hospitals in important towns)								
Place								Period								Cases	
Punjab (I)								16-31 May '56								14 (Paralytic)	

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd June, 1956

Town	Mid-year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
STATES—(Parts A and B)															
Ajmer															
Ajmer	223	82	19.1	..	..	..	23	1	9	..	55	12.8	9		
Beawar	59	13	11.5	..	1	..	21	1	2	1	32	28.2	17		
TOTAL	282	95	17.5	..	1	..	44	2	11	1	87	16.0	26		
Andhra "N.R."															
Assam															
Shillong†	51	25	25.5	..	..	..	14	2	..	..	32	32.6	6		
Gauhati	46	4	4.5	..	..	..	..	..	..	..	..	..	..		
Dibrugarh	43	20	24.2	..	..	..	2	1	2	..	7	8.4	1		
Silchar	43	20	24.2	..	..	..	2	1	2	..	7	8.4	1		
TOTAL	140	49	18.2	..	..	..	16	3	2	..	39	14.5	7		
Bhopal															
Bhopal City	116	78	35.0	..	..	..	2	..	1	..	13	5.8	..		
Bihar															
Arrah	70	4	3.0	..	..	..	5	..	..	..	9	6.7	..		
Bihar	68	11	13.4	..	..	..	1	..	..	..	3	2.3	..		
Bettiah	38	15	20.5	..	..	..	1	..	1	..	9	12.3	2		
Bhagalpur†															
Chapra †															
Darbhanga †															
Dhanbad	41	8	10.2	..	5	..	3	1	2	..	30	38.1	..		
Dinapur	44	3	3.5	..	..	..	..	..	..	2	3	3.5	..		
Gaya	149	47	16.4	..	..	..	22	2	16	1	69	24.1	..		
Hazaribagh	39	19	13.3	..	..	..	..	..	..	3	5	6.7	1		
Jamalpur	47	7	7.4	..	..	..	..	..	..	..	2	2.2	..		
Jamshedpur	246	108	22.8	..	..	..	..	..	..	..	7	1.5	2		
Katihar	51	..	..	..	..	..	..	..	..	..	..	..	..		
Monghyr †															
Muzaffarpur	84	14	8.7	..	..	..	3	..	3	..	12	7.4	..		
Patna	330	99	15.6	..	1	..	9	..	2	1	41	6.5	..		
Purulia	47	7	7.7	..	..	..	1	..	..	..	3	3.3	..		
Ranchi	130	17	6.8	..	..	..	5	1	..	..	14	5.6	..		
TOTAL	1,384	350	13.2	..	6	..	50	4	24	7	207	7.8	5		
Bombay															
Ahmedabad	889	546	31.9	..	5	..	27	17	96	..	324	20.0	108		
Ahmednagar	88	82	48.5	..	..	..	2	2	3	..	25	14.8	6		
Amalner	50	36	37.4	..	..	..	2	..	3	..	9	9.4	..		
Bagalkot	36	33	47.7	..	..	..	..	1	..	..	7	10.1	2		
Baroda	242	150	32.2	..	..	..	24	4	17	..	90	19.3	33		
Barsi	46	44	49.7	..	..	..	4	..	2	..	14	15.8	2		
Belgaum	110	87	41.1	..	..	..	6	..	4	..	25	11.8	7		
Bhusawal	62	36	30.2	..	..	..	6	..	1	..	10	8.4	6		
Bijapur	75	41	28.4	..	..	..	1	..	3	..	5	3.4	..		
Broach†															
Cambay	41	20	25.4	..	..	..	7	..	3	..	28	35.5	4		
Chalisgaon	35	17	25.2	..	..	..	3	1	..	..	11	16.3	1		

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd June, 1956—*contd.*

Town	Mid-year Popn.- Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Bombay—contd.														
Dharwar	76	44	30.1	..	..	..	..	..	1	..	13	8.9	1	
Dhulia	89	77	45.0	..	..	..	9	1	6	2	29	16.9	7	
Gadag Betegeri	71	53	38.8	..	..	..	10	..	2	..	31	22.7	..	
Godra	40	34	44.2	..	..	..	8	..	..	—	14	18.2	5	
Greater Bombay	3,449	1,886	28.4	..	2	..	2	29	107	2	546	8.2	135	
Hubli	148	46	16.2	..	..	..	..	..	3	..	8	2.8	2	
Jalgaon	79	114	75.0	..	..	..	10	..	3	..	22	14.5	6	
Kalyan †	159	95	31.1	..	..	..	2	3	6	1	34	11.1	12	
Kolhapur	71	47	34.4	..	..	..	17	..	1	1	22	16.1	8	
Malegaon†	44	25	29.5	..	..	..	..	..	4	..	13	16.4	3	
Mira	71	47	34.4	..	..	..	17	..	1	1	22	16.1	8	
Nadiad	35	29	43.1	..	..	..	2	..	1	—	11	15.3	5	
Nandurbar	119	72	31.5	..	..	..	3	1	5	1	20	8.7	4	
Nasik	50	40	41.6	..	..	..	7	..	1	..	10	10.4	1	
Navsari	44	43	50.8	..	..	..	3	1	2	..	11	13.0	5	
Pandharpur	47	19	21.0	..	..	..	..	1	3	1	10	11.1	..	
Patan	607	252	21.6	..	..	..	9	5	27	1	114	9.8	27	
Poona	58	44	39.4	..	..	..	2	..	1	..	12	10.8	5	
Sangli	40	22	28.6	..	..	..	..	..	..	..	7	9.1	1	
Satara	399	221	38.4	..	..	..	20	1	23	..	99	17.2	28	
Sholapur.	250	189	39.3	..	1	..	21	5	22	1	145	30.2	62	
Surat	61	18	15.3	..	..	..	3	..	..	..	11	9.4	2	
Thana	61	18	15.3	..	..	..	3	..	..	..	11	9.4	2	
TOTAL	7,510	4,462	30.9	..	8	..	210	72	350	10	1,730	12.0	508	
Delhi State														
Delhi City	1,124	529	24.5	..	..	..	105	12	46	3	259	12.0	72	
New Delhi	374	250	34.7	..	..	..	1	3	11	..	89	12.4	24	
N.A.C. Civil Station Delhi.	117	57	25.3	..	1	..	3	2	3	..	13	5.8	2	
Delhi Cantt.	50	10	10.4	..	..	..	..	..	..	..	1	1.0	1	
Delhi-Shahdara	53	40	39.2	..	..	..	10	..	1	..	12	11.8	8	
TOTAL	1,718	886	26.2	..	1	—	119	17	61	3	374	11.3	107	
Madhya Pradesh														
Achalpur	38	19	26.0	..	1	..	2	..	..	..	7	9.6	1	
Akola	104	51	25.5	..	..	..	11	2	1	..	27	13.5	11	
Amravati†	79	18	11.8	..	..	..	10	2	2	..	67	44.1	..	
Bilaspur†	43	33	39.9	..	..	..	10	..	..	..	13	15.7	1	
Burhanpur	43	33	39.9	..	..	..	10	..	..	..	13	15.7	1	
Chanda	42	21	27.2	..	..	..	6	1	1	..	12	14.8	..	
Chindwarat	45	22	25.4	..	..	..	..	..	..	1	6	6.9	2	
Damoh	45	22	25.4	..	..	..	..	..	..	1	6	6.9	2	
Gondia	45	22	25.4	..	..	..	..	..	..	1	6	6.9	2	
Hinganghat†	59	2	17.6	..	..	..	3	..	2	..	9	7.9	..	
Jabalpur†	59	2	17.6	..	..	..	3	..	2	..	9	7.9	..	
Khandwa	59	2	17.6	..	..	..	3	..	2	..	9	7.9	..	
Khamgaon†	59	2	17.6	..	..	..	3	..	2	..	9	7.9	..	
Kamptec†	59	2	17.6	..	..	..	3	..	2	..	9	7.9	..	
Murwarat†	59	2	17.6	..	..	..	3	..	2	..	9	7.9	..	
Itarsi†	59	2	17.6	..	..	..	3	..	2	..	9	7.9	..	
Nagpur†	59	2	17.6	..	..	..	3	..	2	..	9	7.9	..	
Sagar	75	22	15.2	..	7	..	1	1	..	..	18	12.5	..	
Raipur†	75	22	15.2	..	7	..	1	1	..	..	18	12.5	..	
Raigarh†	75	22	15.2	..	7	..	1	1	..	..	18	12.5	..	
Wardhat†	75	22	15.2	..	7	..	1	1	..	..	18	12.5	..	
Ycotmal	41	26	32.9	..	..	..	2	1	1	..	9	11.4	3	
TOTAL	526	233	23.0	..	8	..	45	7	7	1	168	16.6	18	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd June, 1956—*contd.*

Deaths from :—														
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Madras														
Ambur . . .	44	30	35.5	..	..	..	..	3	1	..	5	5.9	3	
Aruppukottai . . .	56	20	18.6	..	..	..	1	..	2	..	11	10.2	1	
Bodinayakanur . . .	40	20	26.0	..	..	..	..	1	4	..	6	7.8	1	
Cannanore . . .	47	27	29.9	..	..	..	..	..	4	..	10	11.1	3	
Chidambaram . . .	39	33	43.9	..	..	..	..	..	1	1	17	22.6	4	
Coimbatore . . .	234	234	56.4	..	..	..	2	9	20	..	93	20.6	29	
Cuddalore . . .	74	97	70.0	..	1	..	..	2	4	1	30	21.6	4	
Dindigul . . .	90	41	23.7	..	..	..	2	1	..	..	9	5.2	..	
Erode . . .	67	94	72.9	..	..	..	1	1	1	1	20	15.5	4	
Gobichetty Palyan	38	15	20.5	..	..	..	1	..	3	..	4	5.4	..	
Guddiyattam†														
Kancheepuram . . .	90	41	23.7	..	..	..	..	1	11	..	22	12.7	5	
Karaikudi . . .	44	36	42.5	..	..	..	..	..	..	..	4	4.7	..	
Karur . . .	50	35	36.4	..	..	..	2	1	..	..	9	9.4	1	
Kozhikode . . .	176	161	47.6	..	..	..	..	1	14	4	117	34.6	24	
Kumbakonam . . .	105	44	21.8	..	..	..	1	..	1	14	18	8.9	5	
Madras . . .	1,793	1,504	45.9	..	..	..	65	88	153	5	593	18.1	199	
Mangalore . . .	136	135	51.6	..	..	..	3	1	6	..	24	9.8	7	
Mathurai†														
Mayuram . . .	49	44	46.7	..	..	..	..	..	..	2	14	14.8	2	
Malapalayam . . .	41	24	30.4	..	..	..	2	3	2	2	13	16.5	3	
Nagapattinam . . .	60	39	33.8	..	..	..	1	..	1	..	12	10.4	3	
Ootacamund†														
Palani . . .	40	27	35.1	..	..	..	..	..	1	..	6	7.8	1	
Palayamkottai	45	49	56.6	..	..	..	4	..	1	..	17	19.6	1	
Palghat . . .	77	65	43.9	..	..	..	..	1	5	..	25	16.8	8	
Periyakulam . . .	34	31	47.4	..	..	..	1	..	..	1	7	10.7	3	
Pollachi . . .	51	41	41.8	..	..	..	1	4	3	..	25	25.5	10	
Pudukottai . . .	50	41	42.6	..	..	..	..	..	1	..	12	12.5	5	
Rajapalayam . . .	69	27	20.3	..	..	..	1	2	4	..	9	6.8	4	
Salem . . .	241	140	30.2	..	..	..	5	5	9	1	62	13.4	7	
Srirangam . . .	42	39	48.3	..	..	..	..	..	..	..	7	8.6	..	
Srivilliputtur . . .	44	29	34.3	..	..	..	1	1	3	..	15	17.7	4	
Tanjore . . .	118	55	24.7	..	..	..	..	..	3	..	6	2.6	..	
Tellicherry . . .	42	56	69.3	..	..	..	3	..	1	..	21	26.0	3	
Tiruvannamalai . . .	251	181	37.5	..	..	..	3	3	7	1	55	11.4	12	
Tirunelveli . . .	80	34	22.1	..	..	..	..	2	2	..	8	5.2	2	
Tiruppur . . .	63	71	53.6	..	..	..	..	1	4	..	16	13.2	6	
Tiruchirapalli . . .	45	42	48.5	..	3	..	..	..	3	2	14	16.2	4	
Tuticorin . . .	111	75	35.2	..	..	..	1	1	11	..	30	14.0	4	
Vaniyambadi . . .	43	28	33.8	..	..	..	..	2	3	1	11	13.3	6	
Vellore . . .	124	107	44.8	..	..	..	1	2	9	1	48	20.2	15	
Villupuram . . .	39	54	72.0	..	1	..	..	..	1	..	13	17.3	5	
Virudunagar . . .	53	44	43.2	..	..	..	1	..	..	1	8	7.8	1	
TOTAL . . .	4,845	3,930	42.2	..	5	..	103	136	299	38	1,446	15.5	399	
Orissa														
Berhampur . . .	72	85	61.5	..	..	..	2	3	2	..	17	12.3	5	
Cuttack . . .	117	130	58.0	..	..	..	6	2	9	..	40	17.8	5	
Puri . . .	53	39	38.0	..	..	..	2	5	1	1	17	16.7	2	
TOTAL . . .	242	254	54.5	..	..	..	10	10	12	1	74	15.9	12	

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fever; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile deaths (included in total deaths); .. = Nil information.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd June, 1956—*contd.*

## Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>Punjab (I)</b>													
Ambala	65	38	30.6	..	..	..	8	1	2	..	20	16.1	7
Amritsar	343	195	29.7	..	..	..	..	6	34	..	63	9.6	9
Batala	62	24	20.2	..	..	..	11	..	..	..	15	12.6	5
Bhiwani	57	41	37.6	..	..	..	12	..	3	..	31	23.4	7
Ferozepore	45	33	38.3	..	..	..	3	..	2	..	6	7.0	2
Hissar	39	28	37.5	..	..	..	7	..	1	..	10	13.4	4
Hoshiarpur	51	52	53.3	..	..	..	3	..	3	..	10	10.3	3
Jullundur	200	108	28.2	..	..	..	21	2	10	..	48	12.5	11
Karnal	72	29	21.1	..	..	..	5	1	3	..	16	11.6	1
Ludhiana†													
Moga†													
Panipat	64	34	27.8	..	..	..	6	..	2	..	10	8.2	3
Pathankot	34	31	47.7	..	..	..	4	1	3	..	10	15.4	3
Rewari	36	19	27.6	..	..	..	6	..	2	..	10	14.5	3
Rohatak†													
Simla†													
Sonapat†													
<b>TOTAL</b>	<b>1,068</b>	<b>632</b>	<b>30.8</b>	<b>..</b>	<b>..</b>	<b>..</b>	<b>86</b>	<b>11</b>	<b>65</b>	<b>..</b>	<b>249</b>	<b>12.1</b>	<b>58</b>
<b>Uttar Pradesh</b>													
Agra	375	119	16.6	..	..	..	1	1	40	..	74	10.3	23
Allahabad	349	135	20.2	..	2	..	3	2	57	1	96	14.4	17
Amroha	61	66	56.6	..	..	..	6	2	8	1	31	26.6	13
Bahraich	47	25	27.8	..	..	..	6	..	1	..	9	10.0	5
Banaras	383	216	29.5	..	6	..	71	8	28	1	230	31.4	67
Ballia	35	..	..	..	..	..	..	..	..	..	4	6.0	3
Banda†													
Bareilly	203	84	21.6	..	..	..	14	5	13	..	38	9.8	1
Budaun	54	30	29.0	..	..	..	11	..	1	..	16	15.5	6
Basti†													
Bulandshahr†													
Chandausi	41	48	60.9	..	..	..	10	4	6	..	31	39.3	10
Dehra Dun	146	79	28.3	..	..	..	6	1	3	..	20	7.2	5
Etawah†													
Faizabad-Ayodhya	88	10	5.9	..	..	..	1	2	..	..	6	3.6	..
Farrukhabad-Fatehgarh	82	49	31.2	..	..	..	9	8	16	..	45	28.7	14
Firozabad	79	61	40.4	..	..	..	7	1	4	..	17	11.2	4
Gaziabad	46	23	26.1	..	..	..	12	..	..	..	11	14.8	6
Gazipur	36	20	29.0	..	..	..	6	..	..	..	11	20.3	1
Gorakhpur	140	74	27.6	9	..	..	9	10	7	..	48	17.9	11
Gonda	35	7	10.4	..	..	..	..	..	..	1	1	1.5	..
Hapur	49	52	55.5	..	..	..	10	1	2	..	19	20.3	12
Hardwar	64	38	31.0	..	..	..	17	2	2	..	34	27.8	10
Hatnas	62	42	35.4	..	..	..	21	3	7	..	47	39.6	10
Jaunpur	56	25	23.3	..	1	..	4	..	4	..	15	14.0	2
Jhansi	116	90	40.6	..	..	..	44	5	2	..	62	27.9	27
Kanpur	734	367	26.1	..	..	..	111	23	43	7	300	21.4	90
Kasganj†													
Khurja	41	34	43.3	..	..	..	7	1	6	..	18	22.9	9
Koili-Aligarh	150	60	20.9	..	..	..	17	3	7	..	38	13.2	15
Lucknow	494	184	19.5	..	..	..	30	9	22	1	115	12.2	23
Mathura	110	65	30.9	..	..	..	20	3	8	..	41	19.5	16
Mau-Nath Bhanjan†													

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—(Infantile Deaths included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd June, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Uttar Pradesh— <i>contd.</i>															
Mecrut	185	89	25.1	..	..	..	8	2	11	1	34	9.6	9		
Mirzapur Vindhyachal	97	29	15.6	..	..	..	11	1	3	..	21	17.3	10		
Moradabad	164	100	31.9	..	..	..	12	3	14	..	50	15.9	14		
Muzaffarnagar	74	25	17.7	..	..	..	11	..	3	..	18	12.7	4		
Pilibhit	45	24	27.9	..	..	..	3	4	1	1	10	11.6	3		
Rampur†															
Saharanpur	162	106	34.2	..	..	..	35	..	..	..	40	12.9	13		
Sambhal	65	42	33.8	..	..	..	18	10	7	..	44	35.4	8		
Shahjahanpur	99	57	29.9	..	..	..	21	..	2	..	34	17.9	9		
Sitapur	49	29	30.8	..	..	..	5	..	..	..	7	7.4	1		
TOTAL	5,016	2,504	26.0	9	9	..	577	113	328	14	1,640	17.0	477		

**West Bengal**

"N.R."

**STATES—(Part B)****Hyderabad**

Aurangabad . . .	73	9	6.4	..	..	..	1	..	..	..	2	1.4	..
Bidar†													
Gulberga . . .	90	2	1.1	..	..	..	1	..	2	..	6	3.4	..
Hyderabad City	1,058	284	14.0	..	..	..	21	2	3	..	168	8.3	18
Jalna†													
Kothagudiam†													
Latur . . .	41	1	1.3	..	..	..	..	..	1	..	1	1.3	..
Nanded . . .	86	13	8.5	..	..	..	1	2	..	..	3	3.9	..
Nizambad . . .	67	12	..	..	..	..	..	..	1	..	4	3.1	3
Parbhani . . .	40	9	11.7	..	..	..	3	..	1	1	7	9.1	2
Raichur†													
Secunderabad City . . .	162	119	..	..	3	..	..	..	8	..	37	11.9	3
Warangal †													
<b>TOTAL</b>	<b>1,611</b>	<b>449</b>	<b>14.5</b>	<b>..</b>	<b>3</b>	<b>..</b>	<b>27</b>	<b>4</b>	<b>16</b>	<b>1</b>	<b>228</b>	<b>7.4</b>	<b>26</b>

**Jammu & Kashmir**

"N.R."

**Madhya Bharat**

Greater Gwalior . . .	273	59	11.2	..	..	..	2	..	1	..	14	2.7	..
Indore . . .	368	271	38.3	..	..	..	16	2	8	..	94	13.3	28
Ujjain . . .	156	42	14.0	..	..	..	7	1	..	..	36	12.0	1
Khandwa . . .													
Ratlam . . .	73	20	14.2	..	..	..	4	..	..	..	9	6.4	..
Mandsaur . . .	41	8	10.1	..	..	..	4	..	1	..	5	6.3	..
<b>TOTAL</b>	<b>911</b>	<b>400</b>	<b>22.8</b>	<b>..</b>	<b>..</b>	<b>..</b>	<b>33</b>	<b>3</b>	<b>10</b>	<b>..</b>	<b>158</b>	<b>9.0</b>	<b>29</b>

**Mysore**

Chikmagalur . . .	31	5	8.4	..	..	..	..	..	..	..	4	6.7	..
Bangalore . . .	977	585	31.1	..	..	..	6	45	85	..	233	12.4	..
Mysore . . .	294	182	32.2	..	..	..	11	4	12	1	61	10.8	..
Kolar Gold Fields . . .	173	42	12.6	..	..	..	..	1	..	..	3	0.9	..
Bellary†													
Davanagere . . .	69	59	44.5	..	..	..	1	..	..	..	9	6.8	..
Hospet . . .	45	40	46.2	..	..	..	1	1	1	1	5	5.8	..
Shimoga . . .	57	32	29.2	..	..	..	15	..	..	..	16	14.6	..
<b>TOTAL</b>	<b>1,646</b>	<b>945</b>	<b>29.9</b>	<b>..</b>	<b>..</b>	<b>..</b>	<b>34</b>	<b>51</b>	<b>88</b>	<b>2</b>	<b>331</b>	<b>10.5</b>	<b>..</b>

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd June, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	Deaths from :—							Total	D.R.*	I.D.
					S.	P.	F.	D.D.	R.D.	M.D.				
PEPSU														
Patiala City . . .	111	71	33.3	..	..	..	15	..	1	..	34	15.9	10	
Fateh Kotla . . .	34	21	32.1	..	..	..	2	..	..	..	4	6.1	3	
Bhatinda . . .	39	18	24.0	..	..	..	2	..	1	..	3	4.0	..	
TOTAL . . .	184	110	31.1	..	..	..	19	..	2	..	41	11.6	13	
Rajasthan														
Alwar . . .	60	3	2.6	..	..	..	..	..	..	..	4	3.5	1	
Jharsatpur† . . .	..	..	..	..	..	..	..	..	..	..	..	..	..	
Bikaner . . .	117	100	44.4	..	1	..	3	2	8	..	42	18.6	10	
Bharu† . . .	..	..	..	..	..	..	..	..	..	..	..	..	..	
Janganagar† . . .	..	..	..	..	..	..	..	..	..	..	..	..	..	
Tonk . . .	45	5	5.8	..	..	..	15	1	2	..	20	23.1	1	
Kotah . . .	72	10	7.2	..	..	..	17	1	1	1	24	17.3	6	
Sikar† . . .	..	..	..	..	..	..	..	..	..	..	..	..	..	
Jaipur . . .	353	73	10.8	..	1	..	60	6	50	..	191	28.1	56	
Udaipur† . . .	..	..	..	..	..	..	..	..	..	..	..	..	..	
Jodhpur† . . .	..	..	..	..	..	..	..	..	..	..	..	..	..	
TOTAL . . .	647	191	15.4	..	2	..	95	10	61	1	281	22.6	74	
Travancore-Cochin														
Alleppey . . .	148	39	13.7	..	..	..	1	..	1	..	19	6.7	4	
Changanacherry . . .	41	13	16.5	..	..	..	..	..	..	..	2	2.5	1	
Ernakulam . . .	70	52	38.6	..	..	..	1	1	..	..	14	10.4	2	
Kottayam . . .	50	56	58.2	..	..	..	2	1	3	..	10	10.4	3	
Mattanchery . . .	85	51	31.2	..	..	..	3	..	..	..	12	7.3	2	
Nagercoil . . .	94	40	22.1	..	..	..	5	..	1	..	10	5.5	1	
Quilon . . .	75	79	54.8	..	..	..	1	1	..	..	13	9.0	3	
Trichur . . .	76	56	38.3	..	..	..	2	1	2	..	11	7.5	..	
Trivandrum City . . .	218	243	58.0	..	..	..	1	2	3	..	25	6.0	2	
TOTAL . . .	857	629	50.3	..	..	..	16	6	10	..	116	7.0	18	
Saurashtra														
Bhavnagar . . .	157	47	15.6	..	..	..	12	4	3	..	48	15.9	17	
Dhoraji . . .	47	33	36.5	..	..	..	5	2	1	..	10	11.1	..	
Gondal . . .	41	20	25.4	..	..	..	2	1	..	..	8	10.1	5	
Jamnagar . . .	122	15	6.4	..	..	..	11	1	1	..	22	9.4	9	
Junagadh . . .	65	37	29.6	..	..	..	5	2	2	1	26	20.8	9	
Porvri . . .	43	19	23.0	..	..	..	6	1	3	..	10	12.1	6	
Porbandar . . .	64	40	32.5	..	..	..	8	1	..	..	21	17.1	5	
Rajkot . . .	167	57	17.7	..	..	..	19	8	3	..	46	14.3	17	
Surendranagar† . . .	..	..	..	..	..	..	..	..	..	..	..	..	..	
Veraval . . .	46	5	5.7	..	..	..	6	..	4	..	10	11.4	2	
TOTAL . . .	752	273	18.9	..	..	..	74	20	17	1	201	13.9	70	

## ARREAR RETURNS

For w/e 26-5-56

## West Bengal

Bansolt† . . .	..	..	..	..	..	..	..	..	..	..	..	..	..
Baidyabati . . .	33	5	7.9	2	..	..	..	..	1	..	3	4.8	..
Bally . . .	66	2	1.6	2	..	..	..	..	1	..	53	4.0	1
Bankura . . .	50	17	17.8	..	..	..	..	..	..	..	4	4.2	..
Bansberia† . . .	..	..	..	..	..	..	..	..	..	..	..	..	..
Baranagar . . .	90	36	20.9	2	..	..	4	3	4	..	21	12.2	9

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd June, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
West Bengal—contd.													
Basirhat . . .	39	4	5.4	5	..	..	..	..	..	..	6	8.0	..
Berhampur†	..	..	..	..	..	..	..	..	1	..	3	4.6	..
Bhadreshwar . . .	34	4	6.2	..	..	..	..	..	..	..	3	4.6	..
Bhatpara . . .	143	26	9.5	..	..	..	16	1	6	1	31	11.3	3
Budge-Budge . . .	32	16	26.0	5	..	..	1	2	..	..	9	14.7	1
Burdwan†	..	..	..	..	..	..	..	..	..	..	..	..	..
Calcutta . . .	2,984	1,174	20.6	85	6	..	41	73	117	..	637	11.2	172
Champdani . . .	41	13	16.6	..	..	..	..	..	..	..	3	3.8	..
Cooch Behar†	..	..	..	..	..	..	..	..	..	..	..	..	..
Darjeeling . . .	38	9	12.4	..	..	..	..	..	1	..	2	2.8	..
English-Bazar . . .	36	15	21.8	..	12	..	..	..	..	..	13	18.9	..
Garden Reach . . .	124	22	8.9	7	..	..	2	..	2	..	18	7.6	5
Halisahar . . .	41	1	1.3	..	..	..	..	..	..	..	..	..	..
Hoogly-Chinsurah . . .	60	70	61.0	3	..	..	4	2	..	..	12	10.5	3
Howrah . . .	477	124	13.6	18	2	..	7	16	25	1	125	13.7	34
Jalpaiguri . . .	49	20	21.3	..	..	..	2	—	..	..	8	8.5	..
Kamarhati†	..	..	..	..	..	..	..	..	..	..	..	..	..
Kanchrapara†	..	..	..	..	..	..	..	..	..	..	..	..	..
Krishnagar . . .	56	1	0.9	..	..	..	..	1	..	..	1	0.9	..
Midnapore . . .	45	37	43.0	..	..	..	2	..	..	..	10	11.6	..
Nabadwip . . .	70	26	19.4	..	..	..	11	..	1	..	17	12.7	..
Naihati . . .	62	1	0.8	..	..	..	..	..	1	..	4	3.4	1
North Barrackpore . . .	36	2	2.9	..	..	..	..	..	..	..	..	..	..
Panihati†	..	..	..	..	..	..	..	..	..	..	..	..	..
Shantipur . . .	49	23	24.5	..	..	..	..	..	..	..	2	2.1	..
Serampore . . .	83	34	21.4	3	..	..	4	2	3	..	21	13.2	5
Siliguri†	..	..	..	..	..	..	..	..	..	..	..	..	..
South Dum Dum†	..	..	..	..	..	..	..	..	..	..	..	..	..
South Suburban . . .	124	17	7.2	2	..	..	2	3	3	..	19	8.0	7
Titagarh . . .	78	16	10.7	1	..	..	7	1	1	..	12	8.0	2
TOTAL . . .	1,940	1,714	18.0	135	20	..	103	104	167	2	986	10.4	243

**Madhya Bharat***For w/e 26-5-56*

Greater Gwalior . . .	273	227	43.2	..	..	..	4	..	1	..	27	5.2	15	..
Indore . . .	368	203	28.7	..	..	..	22	2	9	4	93	13.1	34	..
Ujjain . . .	156	64	21.4	..	..	..	13	2	..	..	46	15.3	..	..
Mandsaur . . .	41	9	11.4	..	..	..	2	..	3	..	5	6.3	1	..
<b>TOTAL . . .</b>	<b>838</b>	<b>503</b>	<b>31.2</b>	<b>..</b>	<b>..</b>	<b>..</b>	<b>41</b>	<b>4</b>	<b>13</b>	<b>4</b>	<b>171</b>	<b>10.6</b>	<b>50</b>	<b>..</b>

*For w/e 12-5-56*

Ratlam . . .	73	27	19.2	..	..	..	..	..	..	..	10	7.1	..	..
--------------	----	----	------	----	----	----	----	----	----	----	----	-----	----	----

*For w/e 19-5-56*

Ratlam . . .	73	39	27.8	..	1	..	8	..	..	..	15	10.7	..	..
--------------	----	----	------	----	---	----	---	----	----	----	----	------	----	----

**Bombay***For w/e 7-4-56*

Miraj . . .	44	30	35.5	..	..	..	..	2	4	..	28	33.1	1	..
-------------	----	----	------	----	----	----	----	---	---	----	----	------	---	----

*For w/e 12-5-56*

Broach . . .	67	53	41.1	..	..	..	7	..	3	..	16	12.4	7	..
--------------	----	----	------	----	----	----	---	----	---	----	----	------	---	----

*For w/e 19-5-56*

Broach . . .	67	64	49.7	..	..	..	5	..	4	..	22	17.1	3	..
Bijapur . . .	75	42	29.1	..	..	..	2	..	5	2	14	9.7	5	..

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd June, 1956—*concl'd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
<b>Madhya Pradesh</b>				<i>For w/e 28-4-56</i>									
Damoh . . . .	42	18	22.3	..	..	..	7	2	..	..	15	18.5	..
				<i>For w/e 5-5-56</i>									
Damoh . . . .	42	24	29.7	..	..	..	4	2	1	..	10	12.4	..
				<i>For w/e 12-5-56</i>									
Damoh . . . .	42	27	33.4	..	..	..	7	..	1	..	13	16.1	..
Achal Pur . . . .	38	22	30.1	..	9	..	14	..	..	..	26	35.6	8
				<i>For w/e 19-5-56</i>									
Damoh . . . .	42	21	26.0	..	..	..	4	2	1	..	10	12.3	..
Achalpur . . . .	38	27	36.9	..	1	..	6	..	..	..	14	19.2	4
				<i>For w/e 26-5-56</i>									
Sagar . . . .	75	22	15.2	..	6	..	4	1	1	..	14	9.7	..
Damoh . . . .	42	17	21.0	..	..	..	5	1	..	..	16	19.8	..
Gondia . . . .	45	36	41.6	..	..	..	2	..	..	2	10	11.5	3
Achalpur . . . .	38	26	35.6	..	4	..	3	..	..	..	10	13.7	7
<b>Jammu &amp; Kashmir</b>				<i>For w/e 3-3-56</i>									
Srinagar . . . .	242	182	39.1	..	..	..	5	..	8	..	26	5.5	2
				<i>For w/e 10-3-56</i>									
Srinagar . . . .	242	168	36.1	..	..	..	2	..	1	..	17	3.6	1
				<i>For w/e 17-3-56</i>									
Srinagar . . . .	242	170	36.5	..	..	..	3	..	7	1	16	3.4	2
				<i>For w/e 24-3-56</i>									
Srinagar . . . .	242	163	35.0	..	..	..	1	..	9	1	21	4.5	..
				<i>For w/e 31-3-56</i>									
Srinagar . . . .	242	157	33.7	..	..	..	..	..	5	1	16	3.4	..
				<i>For w/e 7-4-56</i>									
Jammu . . . .	69	53	39.9	..	..	..	2	..	1	..	9	6.8	..
				<i>For w/e 14-4-56</i>									
Jammu . . . .	69	56	42.2	..	..	..	5	..	1	..	14	10.6	3

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..=Nil Information.

## REMARKS

The figures of births and deaths shown in this statement for week ending the 2nd June 1956 relate to 204 towns with an estimated population of 29455 thousands. The total number of towns is 317, and their population is 41,516 thousands. Thus 64% of the total number of towns representing 71% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 16,470 and 7,383 representing birth and death rates of 29.1 and 13.0 per thousand of population respectively.

(a) *States (Part A and C)* :—The data here relate to 158 towns with an estimated population of 22,847 thousands. Information about Andhra and West Bengal could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 63% of the total number of towns representing 68% of the total population is covered. The number of births

and deaths recorded in these towns were 13,473 and 6,027 representing birth rates and death rates of 30.7 and 13.7 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B)* :—The data here relate to 46 towns with an estimated population of 6,608 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 71% of the total number of towns representing 82% of the total population is covered. The number of births and deaths recorded in these towns were 2,997 and 1,356 representing birth and death rates of 23.6 and 10.7 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 2-6-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period.	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	17.5	16.0	†	†	22.7	15.2
Bihar	13.2	7.8	11.8	6.3	11.0	7.3
Bombay	30.9	12.0	27.6	12.0	27.9	14.4
Delhi	26.2	11.3	24.4	9.1	26.0	12.0
Madhya Bharat	23.0	16.6	26.2	20.0	22.2	20.0
Madras	42.2	15.5	37.5	17.4	†	†
Orissa	54.5	15.9	50.2	14.3	40.0	17.9
Punjab (I)	30.8	12.1	29.7	8.9	24.7	10.6
Uttar Pradesh	26.0	17.0	27.6	17.9	25.4	18.6
India*	30.7	13.7	30.2	14.6	27.6	16.1

\*8 Part 'A' States and 1 Part 'C' State.

†Figures not available

NEW DELHI-2 (INDIA); }  
The 25th June, 1956 }

K. MITRA,  
for Registrar General, India.

